

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

FIG. 1



**FIG. 2**




FIG. 3




FIG. 4A




FIG. 4B



FIG. 4C




FIG. 4D




FIG. 5




FIG. 6




FIG. 7






FIG. 8

	ABSOLUTE CRANK ANGLE	ACCURACY (RESOLUTION)	CYLINDER DISCRIMINATION	TDC DISCRIMINATION	REVERSE ROTATION DETECTION	AT TIME OF LOW REVOLUTION NUMBER
MG POSITION SIGNAL	x [BELT SLIP]	3°CA	x	x	O	O
NE SIGNAL	O	30°CA	x	x	x	x (O)
G2 SIGNAL	$\Delta$ [VVT DEVIATION]	720°CA	O	x	x	x (O)
TDC SIGNAL	O	360°CA	x	O	x	x (O)

\* CASE OF MRE IS GIVEN IN ( )

FIG. 9A




FIG. 9B




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

